

## EAST Search History

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|---|------------------|---------|------------------|
| L1    | 156   | ("HASEGAWA, EIJI" or "HONDA, FUMIO")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 07:24 |
| L2    | 7     | I1 and ("information" adj "processing")                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 07:29 |
| L3    | 29201 | "FUJITSU LIMITED"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 07:29 |
| L4    | 2614  | I3 and ("information" adj "processing")                                     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 07:30 |
| L5    | 412   | I3 and ("information" adj "processing" adj "system")                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 07:34 |
| L7    | 46892 | ("information" adj "processing" adj ("system" or "apparatus"))              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 08:21 |
| L8    | 0     | I5 and ((return\$3 with "program") with ("executable" adj "state"))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 08:10 |
| L9    | 1     | I7 and ((return\$3 with "program") with ("executable" adj "state"))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 08:10 |
| L10   | 40    | I7 and ("program" with ("executable" adj "state"))                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 08:21 |
| L11   | 33    | I10 and (("first" or "second" or "plurality") with ("memory" or "storage")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 08:21 |
| L12   | 0     | I11 and ((delet\$3 with "program") with ("complete"))                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2007/09/10 08:50 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L13 | 418  | 713/152   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:21 |
| L14 | 8    | I13 and ("information" adj<br>"processing" adj ("system" or<br>"apparatus"))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:33 |
| L15 | 4    | I14 and (("first" or "second" or<br>"plurality") with ("memory" or<br>"storage")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:33 |
| L16 | 0    | I15 and ("program" with<br>("executable" adj "state"))                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:33 |
| L17 | 9    | "5148542"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:31 |
| L18 | 1041 | 717/136   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:33 |
| L19 | 19   | I18 and ("information" adj<br>"processing" adj ("system" or<br>"apparatus"))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:38 |
| L20 | 9    | I19 and (("first" or "second" or<br>"plurality") with ("memory" or<br>"storage")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:39 |
| L21 | 1    | I20 and ("program" with<br>("executable" adj "state"))                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:39 |
| L22 | 847  | 717/120   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:38 |
| L23 | 16   | I22 and ("information" adj<br>"processing" adj ("system" or<br>"apparatus"))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:49 |
| L24 | 6    | I23 and (("first" or "second" or<br>"plurality") with ("memory" or<br>"storage")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:52 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L25 | 1    | I24 and ("program" with ("executable" adj "state"))                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:52 |
| L26 | 34   | "6131192"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:47 |
| L27 | 523  | 717/175   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:49 |
| L28 | 8    | I27 and ("information" adj "processing" adj ("system" or "apparatus"))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:51 |
| L29 | 0    | I28 and ((delet\$3 with "program") with ("complete"))                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:50 |
| L30 | 2    | I27 and ((delet\$3 with "program") with ("complete"))                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:52 |
| L31 | 6589 | 707/101   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:51 |
| L32 | 176  | I31 and ("information" adj "processing" adj ("system" or "apparatus"))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:53 |
| L33 | 108  | I32 and (("first" or "second" or "plurality") with ("memory" or "storage")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:53 |
| L34 | 108  | I33 and (("first" or "second" or "plurality") with ("memory" or "storage")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:52 |
| L35 | 0    | I34 and ("program" with ("executable" adj "state"))                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:54 |
| L36 | 0    | I34 and ((delet\$3 with "program") with ("complete"))                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:53 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| L37 | 4256 | 707/203   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:53 |
| L38 | 105  | I37 and ("information" adj<br>"processing" adj ("system" or<br>"apparatus"))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:53 |
| L39 | 69   | I38 and (("first" or "second" or<br>"plurality") with ("memory" or<br>"storage")) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:53 |
| L40 | 0    | I39 and ((delet\$3 with "program")<br>with ("complete"))                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:53 |
| L41 | 0    | I39 and ("program" with<br>("executable" adj "state"))                            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2007/09/10 08:54 |

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)



program with executable state

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search Help](#)

"with" is a very common word and was not included in your search. [\[details\]](#)

## Patents

Patents 1 - 10 on **program with executable state**. (0.31 seconds)

[Parallel processor for executing plural thread](#)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

**program in parallel using ...**

US Pat. 5815727 - Filed Dec 20, 1995 - NEC Corporation

It is the first feature of the shown embodiment to construct the **program** 250 ...

50 10 When there is no thread in the **executable state**, the processor 110 in ...

[Machine generation of machine-executable state-change instructions for ...](#)

US Pat. 4707661 - Filed Jul 29, 1986 - The Regents of the University of California

Accordingly, during execution of the linker **program**, any encountered subroutines

having ... On the other hand, all **program** segments designated as being ...

[Feature control system utilizing design oriented state table language](#)

US Pat. 5386464 - Filed Dec 19, 1991 - Telefonaktiebolaget L M Ericsson

... third table to access the next **state** and await the next precipitating event;

... within said switch, said feature **program** having **executable** task code, ...

[Global qualitative flow-path modeling for local state determination in ...](#)

US Pat. 5732192 - Filed Nov 30, 1994 - The United States of America as represented by the Administrator of the National Aeronautics and Space Administration

64 inputting local flow **state** change data into said path structures from said models

... **program** is **executable** by the computer for using the flow **state** ...

[Multitask processing apparatus utilizing a central processing unit equipped ...](#)

US Pat. 5148542 - Filed May 1, 1990 - NEC Corporation

cation **program** 117 divided into plural tasks, a TCB 114 microprogram stored in the

... that is, a dormant **state**, an **executable state**, START instruction. ...

[Method for sequentially registering executable program formats with ...](#)

US Pat. 5247679 - Filed Feb 20, 1990 - Prime Computer, Inc.

... **executable program** ... **state** ...

[Disaster control features for remote data mirroring](#)

US Pat. 5889935 - Filed Mar 17, 1997 - EMC Corporation

The **program** storage device as claimed in claim 22, wherein the **program** is **executable**

by the data storage system to respond to a request to change the **state** ...

[Storage mapping and partitioning among multiple host processors in the ...](#)

US Pat. 6260120 - Filed Jun 29, 1998 - EMC Corporation

The machine readable **program** storage device as claimed in claim 29, wherein the

**program** is **executable** by the storage controller for responding to a system ...

[Object-oriented symbolic debugger using a compiler driven database and state ...](#)

US Pat. 5812850 - Filed Nov 13, 1995 - Object Technology Licensing Corp.

The method of claim 55 wherein step (b) comprises the step of: (bl) creating a

software model object for modeling the **state** of the **executable program**. ...

Method and apparatus for validating travelling object-oriented programs with ...

US Pat. 6105072 - Filed Apr 2, 1997

... whether a **program** being executed is processing an existing digital cell, ...  
placing said existing cell into an **executable state** if said determining ...

Goooooooooooooogle ►

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

deleted the program after executed the progra

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search Help](#)The following words are very common and were not included in your search: **the the.** [\[details\]](#)

## Patents

Patents 1 - 10 on **deleted the program after executed the program.** (0.17 seconds)[High registration photomask method and apparatus](#) [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 4120583 - Filed Dec 20, 1976

**After** this edit operation, the data processor reassembles the stored parts **program**... When stored parts **program** commands are **deleted**, parts **program** memory ...[Editing method for deleting prescribed section of a \*\*program\*\* and editing ...](#)

US Pat. 6088304 - Filed Sep 16, 1997 - Sony Corporation

25 These processes are **executed** in step S801 to S810 but as this is the same as... 35, at the time when the end point of the section to be 65 **deleted** is ...[Method for removing invariant branches from instruction loops of a computer ...](#)

US Pat. 5202995 - Filed Sep 3, 1992 - International Business Machines Corporation

FIG. 8 illustrates the optimized exemplary **program after** the unreachable codehas been **deleted**. The **program** of FIG. 8 is graphically depicted in FIG. 9B. ...[Machine control system operating from remote commands](#)

US Pat. 4531182 - Filed Mar 1, 1972

**After** this edit operation, the data processor reassembles the stored parts ...is **deleted** and the stored parts **program** is reassembled in the parts **program** ...[Method and apparatus for recovering from software faults](#)

US Pat. 5948112 - Filed Mar 18, 1997 - Kabushiki Kaisha Toshiba

The method for recovering from a software fault in a re-**executed**, ... in thesystem 40 tem. change a **program** execution environment **after** roll the system ...[System and method for controlling product dispensation utilizing metered ...](#)

US Pat. 5612890 - Filed May 19, 1995 - F C Systems, Inc.

3A, 3B and 3C provide an overview block diagram of the PC control **program**.**After** a **program** start 100 a 30 **program** start up block 102 is **executed**. ...[Interpolative method and system for producing medical charts and monitoring ...](#)

US Pat. 6081809 - Filed Mar 17, 1997

**After** the PERCEPTION subroutine, the **program** of the ... BOTTOM and CURRENT are**deleted**. **Program** execution then terminates. 60 In the example of column 26 of ...[Method of displaying \*\*program\*\* execution for a computer](#)

US Pat. 5375125 - Filed May 13, 1992 - Hitachi, Ltd.

Claim 10, column 33, line 31, **after** "plural" insert —times,— ... Claim 18, column35, line 51, **after** "previously" delete "said" and substitute therefor ...[Optimization apparatus which removes transfer instructions by a global ...](#)

US Pat. 5923883 - Filed Mar 12, 1997 - Matsushita Electric Industrial Co., Ltd.

... and a replacing transfer instructions are **deleted** can be improved. unit for... **program** unit which instructions are **executed** in a plurality of different ...

Electronic controller and portable programmer system for a pneumatically ...

US Pat. 4379335 - Filed Oct 28, 1980 - Auto-Place, Inc.

Any function, except MARK HOME, may be inserted or **deleted** whenever desired, ...

This mode provides for a continuous execution of the user **program after** the ...

Goooooooooooooogle ►

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

deleted the program after executed the progr: **Search Patents**

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

deleted the program after executed the progra

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search Help](#)The following words are very common and were not included in your search: **the the**. [\[details\]](#)

## Patents

Patents 11 - 20 on deleted the program after executed the program. (0.05 seconds)

### Software installation

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 6131192 - Filed Jun 18, 1998 - Microsoft Corporation

More specifically, if setup **program** module is **executed**, and the setup **program** the file with the temporary name is **deleted** from the target module is **executed** ...

### Method of debugging a computer program

US Pat. 5124989 - Filed Jan 8, 1990 - Microsoft Corporation

If a line is **deleted** and a history record contained the number of that line ... is reached in said **program after** said execution debug command is **executed**, ...

### Method and system for corrective re-installation of an object on a data ...

US Pat. 5560026 - Filed Aug 10, 1993 - International Business Machines Corporation

If that function is **deleted the program** file must be updated to show that the task can no ... the object is **executed** by the execution method shown in FIG. ...

### Method and apparatus for automatic software replacement

US Pat. 5764992 - Filed Jun 6, 1995 - Apple Computer, Inc.

This particular 1° Step 46 so that it will be **deleted** upon me startup of .... of toe **program**, for can take place in a background operation that is **executed** ...

### System for assisting a programmer find errors in concurrent programs

US Pat. 6067415 - Filed Dec 23, 1996 - Kabushiki Kaisha Toshiba

28 shows the scenario graph from which section read2 has been 30 **deleted** from ... when the designer selects write2 as an instruction to be **executed after** ...

### Information processing apparatus

US Pat. 6308182 - Filed Jan 16, 1998 - Fujitsu Limited

According to a further aspect of the present invention, **after** completing the ... be **deleted** or replaced. Therefore, suspending the **program** being **executed** ...

### Method of receiving program down-loaded to IC card and IC card thereof

US Pat. 5038025 - Filed Feb 12, 1990 - Hitachi Maxell, Ltd.

10 Such 1C cards that an operation **program** stored in an internal memory of ... new **program after** an identifier has been **deleted** or address information has ...

### Printing system including print server

US Pat. 5303336 - Filed Jan 14, 1993 - Hitachi, Ltd.

**After** starting of the printing protocol control task (ii) If the **program** A is .... in the main memory font creation macro 523 are not **deleted**. set area 16C, ...

### System and method of enabling file revision management of application software

US Pat. 6629109 - Filed Mar 2, 2000 - NEC Corporation

A computer-readable record medium storing a **program** for instructing a computer ... in the **deleted** file name memory means matches the file name "D" **after** the ...

System, method, and **program** for performing **program** specific operations ...

US Pat. 6631521 - Filed Mar 29, 1999 - International Business Machines Corporation

The system of claim 11, wherein the second uninstall **program** is **executed** to perform uninstall operations **after** the first uninstall **program** deletes the ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google